



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/697,999	10/30/2003	Richard S. Sanders	279.611US1	7426
21186 7590 01/15/2008 SCHWEGMAN, LUNDBERG & WOESSNER, P.A. P.O. BOX 2938 MINNEAPOLIS, MN 55402			EXAMINER THOMAS, JONATHAN B	
			ART UNIT 3766	PAPER NUMBER
			MAIL DATE 01/15/2008	DELIVERY MODE PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/697,999

Applicant(s)

SANDERS, RICHARD S.

Examiner

Jonathan B. Thomas

Art Unit

3766

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 13 November 2007.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-19 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-19 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 10/30/2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

Response to Arguments

Applicant's arguments, see pages 8 and 9, filed 10/13/2007, with respect to the rejection(s) of claim(s) 1-19 under 103(a) have been fully considered and are persuasive. Therefore, the rejection has been withdrawn. However, upon further consideration, a new ground(s) of rejection is made in further view of Goedeke 6,263,246.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1-11, 16, 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lindberg 5,370,666 in view of Von Arx et al. 6,985,773 and Goedeke 6,263,246.

Lindberg teaches an electrogram signal sensing channel 6, one or more pacing channels C1 and 15, programmable tachyarrhythmia detection controller 4, telemetry interface 12, magnetic switch 14, and activity level sensor 6.

Lindberg does not teach the following claimed limitations taught by Von Arx: disablement of a component (Col. 3 ll. 56 – Col. 4 ll. 9) and re-enablement of a component (Col. 3 ll. 12-55), disablement time interval specification via the telemetry

interface (Col. 3 ll. 12-17), magnetic switch component actuation (Col. 3 ll. 32-38), and activity level component actuation (Col. 3 ll. 47-54).

It would have been obvious to a person having ordinary skill in the art at the time of the invention to modify the invention of Lindberg in view of Von Arx in order to conserve energy (Col. 4 ll. 10-21).

Goedeke teaches the following claimed limitations not taught by Lindberg or Von Arx: disabling device therapy (Col. 4 ll. 49 – Col. 5 ll. 4). It would have been obvious to a person having ordinary skill in the art at the time of the invention to modify the invention of Lindberg and Von Arx in view of Goedeke in order to assist sleep (Col. 4 ll. 49 – Col. 5 ll. 4).

Claims 12 and 13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lindberg in view of Von Arx and Goedeke and further in view of Hauser 5,385,574.

Lindberg, Von Arx and Goedeke teach the device as disclosed above, however it does not teach the following claimed limitations disclosed by Hauser: defibrillation and pacing channels 80 and 82. It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the Lindberg and Von Arx device in view of Hauser to reduce the number of devices implanted in the patient.

Claims 14, 15, 17, and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lindberg in view of Von Arx and Goedeke as applied to claims 1, 16, and 18 above, and further in view of McDonald 4,236,522.

Lindberg, Von Arx and Goedeke teach the apparatus as described above however it does not teach the following claimed limitation taught by McDonald: therapy

disablement by disablement of one or more sensing channels (Col. 3 ll. 25-28). It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the device of Lindberg and Von Arx in view of McDonald to switch a demand mode pacer to an asynchronous mode pacer.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jonathan B. Thomas whose telephone number is (571)270-3082. The examiner can normally be reached on Mon-Fri 9:30-9 EST. Alternate Fridays off.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Carl Layno can be reached on 5712724949. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Application/Control Number:
10/697,999
Art Unit: 3766

Page 5

JBT
1/8/08


MARK BOCKELMAN
PRIMARY EXAMINER